


STYLED


05249


Low Glare - Minimal Design

Styled is a recessed, linear spot lighting solution that combines aesthetic design and high visual comfort for modern interiors.

Thanks to its low glare value (UGR≤16), glare-reducing optical structure, and homogeneous light distribution, it offers a comfortable lighting experience in offices, shops, educational institutions, and commercial spaces. Its minimalist design and high-quality materials give architectural projects a modern look.

RAL 9016 RAL 9005 RAL 9006





General Information	
Housing	Aluminum Extrusion
Side Cover	Aluminum Injection
Optics	Reflector + Lens
Paint	Electrostatic Powder Coating
Insulation Class	Class II
Product Dimensions [mm]	46(W)x150/285(L)x45(H)
Mounting Type	Recessed
Mounting Part	Spring Steel

Electrical Info	
Power	11-22W
Power Factor	>0.95
Light Source	COB LED
Cabling	Halojen-Free
Input Voltage	220-240V AC / 50-60 Hz
LED Driver	Constant Current
Ambient Temperature	-20°C / +50°C
LED Lifetime L70	>60.000 Hour

Lighting Technology	
Light Output Angle	45°
UGR Value	UGR ≤ 16
CRI [Ra]	CRI ≥ 80
Color Bin Value	Mc Adams ≤ 3

Optional
DALI / 1-10V
CRI>90 , 2700K~6500K , Tunable White
Emergency Lighting Kit

Order Code	W	Lm	Angle	CCT	WxLxH (mm)	Ceiling Cutting (mm)	Kg
05249.16.30.004	11	970	45º	3000	46x150x45	142x38	0,30
05249.16.40.005	11	1020	45º	4000	46x150x45	142x38	0,30
05249.16.30.005	22	1940	45º	3000	46x285x45	278x38	0,60
05249.16.40.008	22	2040	45º	4000	46x285x45	278x38	0,60

Verilen tüm elektriksel değerler nominal değerlerdir. Işık akısı ve bağlı elektrik yükü +/- %10 luk bir başlangıç toleransına tabidir. Renk sıcaklığı toleransı: +/-150 K.
Katalogda ve web sitesinde yer alan teknik parametreler ve ürün kodlarını içeren bilgiler, projelere göre yapılan kişiselleştirmelerden dolayı standart ürünlerden farklılık gösterebilir.
İkizler Aydınlatma, ürünlerde haber vermeden değişiklik yapma hakkına sahiptir.

+90 (216) 397 22 16
info@ikizleraydinlatma.com